




GB04/2538



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ



I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

I also certify that the application is now proceeding in the name as identified herein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.


Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated

14 September 2004

**PRIORITY
DOCUMENT**
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)





INVESTOR IN PEOPLE

GB 0313845.0

By virtue of a direction given under Section 30 of the Patents Act 1977, the application is proceeding in the name of:


UNIVERSITY OF LANCASTER,
University House,
Bailrigg,
LANCASTER,
LA1 4YW,
United Kingdom

Incorporated in the United Kingdom,

[ADP No. 00798298001]

Patents Form 1/77

Patents Act 1977
(Rule 16)



16JUN03 E815230-1 E12663
P01/7700 0.00-0313845.0

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

1. Your reference

2. Patent application number

(The Patent Office will fill in this part)

0313845.0

13 JUN 2003

3. Full name, address and postcode of the or of each applicant (underline all surnames)

James Allan Hudson

SECTION 39 (1977 ACT) APPLICATION FILED AT 20 BOWLAND COLLEGE

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

11/8/04 LANCASTER UNIVERSITY
LA1 4YT

865281001

4. Title of the invention

Visual overloading

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

URQUHART DYKES + LORR LLP
TOWER NORTH CENTRAL
MERRION WAY
LEEDS
LS2 8PA

Patents ADP number (if you know it)

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

61/77 11/5/04

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

No

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description 2

Claim(s)

Abstract 1

Drawing(s) 2x2

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature

Date

12-6-03

12. Name and daytime telephone number of person to contact in the United Kingdom

01524 592573.

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

Visual Overloading

James Hudson

Flat20 Bowland College, Lancaster University, Bailrigg, Lancaster,
LA1 4YT, UK
+44 (0) 1524 592573
j.a.hudson@lancs.ac.uk

Abstract

The physical constraints of modern interfaces can lead to phenomena such as visual clutter, which poses particular problems in text input and web browsing on handheld devices. My research is concerned with using theories of physical and cognitive ergonomics to support the development of richer graphical interfaces that make economical use of graphical interface real estate and cognitive resources. I focus specifically on improving touch screen interaction through animated graphical layering and gesture interaction.

1 Introduction

In my approach I make use of animated transparent layers that permit the user to selectively view elements that overlap in the visual terrain (Silvers 95, Ishantha 95) and to switch between these layers with a slight cognitive load, rather than through the explicit rearranging of windows that is necessary in existing user interfaces. Moreover, layers permit the intensive population of the locus of visual attention with fewer restrictions on window management.

The incorporation of gestures provides further conservation in screen real estate (Rakowski 01) and subsequent reduction of the ergonomic overheads of obtrusive dialogues and menu items, through overloading the functionality of an icon with simple gestures.

2 Examples of interface overloading

Following are some specific examples of interface overloading that highlight the salient features of my approach, such as screen real-estate preservation (Kamba 96), device function overloading with gestures and the effective broadening of the locus of visual attention through animated control elements (McGuffin 02).

2.1 Example: Gesture activated transparent overlaid control elements

The use of animated transparencies permits the superimposing of layers of control elements, as studied elsewhere (Bartlett 92, Harrison 95) or even gesture activated buttons overlaid onto the output text or work context, without compromising the coherence of competing layers (see Fig. 1). To select an action, the user executes the appropriate gesture stroke that ends over the selected button or region.




Figure1. A schematic depiction of an overloaded button. Executing a appropriate gesture, such as a 'D' for the diamond or a 'T' for the triangle, etc., over the collection of layered shapes, invokes the action associated with the desired layer.




Figure 2. The device makes use of transparent animations with alternating contrasting bands progressing over the surface to make the dial prominent to peripheral vision.

The use of layers permits the intensive population of controls that occupy the same space. Overloaded controls benefit from having a larger target area that permits manual interaction without using too much of the available display area. Gesture interaction is restricted to one action for each execution of a gesture. The additional context of the region

of the display a gesture is executed as a determinant of the desired action enables the number of commands related to a gesture to be increased. This effectively gives my model more scope to overload the functionality and reduce the number of necessary control elements in a given display.

2.2 Example: Periphicon

I now consider an example that illustrates how carefully chosen animated transparencies can improve the functionality of an adaptive mechanism by reducing its intrusiveness and elegantly increasing the prominence of control elements. Animated components effectively broaden the visual field. For example, consider controls that can be interpreted with peripheral vision, and that facilitate unobtrusive redundancy and the adaptivity of smart interface controls. The approach thus improves the functionality of an adaptive mechanism by easing its intrusiveness and elegantly increasing the prominence of control elements.

The "Periphicon" (see Fig. 2) is a device consisting of an animated transparent graphical layer that features alternating bands of light and dark colour progressing over its surface. The orientation of the device is indicated by the direction of the progressive bands of light and dark.

This device is suited to interpretation via peripheral vision. Users have little difficulty reading the dial through the corner of their eye. The user can quite easily view the background and the superimposed Periphicon, which eliminates the cognitive interruption associated with the redirecting of gaze. Thus, the field of vision of the user is effectively broadened. This could be particularly useful for an in car navigation system or speedometer, a download progress indicator or even status indicator for a critical system or computer game.

2.3 Example: Gesture optimised menu items

I explore cognitively ergonomic design heuristics, such as the desirability of avoiding interruptions of attention caused by intrusive dialogues that often obscure the underlying display. Consider, for example, the way that submenus cause a high short-term memory load through the obscuring of the underlying work context and the visual search overhead when the user is required to select from a large list of options.

I propose an approach that reduces both memory load and visual scanning of items by using a menu system where drawing a letter over a menu collects all the commands from that menu beginning with the appropriate letter. Then the system groups these commands together in a smaller, easier to handle, menu. In some cases there may only be one item in the list, thereby dramatically reducing the necessary visual search.

3 Conclusion

I offer the user a further veneer of redundancy for the execution of familiar commands. This avoids the laborious navigation of increasingly larger and complex menu systems. Additionally, my approach leads to the preservation of display real estate in small handheld devices, and avoids the need for the tedious manual interaction in larger data board devices associated with the need for users to position control elements that are beyond their reach.

My future work includes a study of the benefits of animated control elements and their specific use in broadening the user's field of vision to facilitate adaptive and smart interfaces. I am also interested in studying the cognitive benefit of overloaded gesture driven control elements.

References

- Bartlett 92 Transparent Controls for Interactive Graphics. Bartlett, Joel F. WRL Technical Note TN-30, Digital Equipment Corp., Palo Alto, CA. July 1992.
- Harrison 95 Transparent layered user interfaces Harrison. Beverly L., Hiroshi Ishii, Kim J. Vicente, William A. S. Buxton Conference proceedings on Human factors in computing systems May 1995
- Ishantha 95 GeoSpace Ishantha Lokuge I, Suguru Ishizaki Conference proceedings on Human factors in computing systems May 1995
- Kamba 96 Using small screen space more efficiently Kamba, T, Elson, S A, Harpold, T, Stamper, T & Sukariya, P Proc. ACMCHI96, 383--390. 1996
- McGuffin 02 Input: Smooth Moves: Acquisition of expanding targets Michael McGuffin, Ravin Balakrishnan Proceedings of the SIGCHI conference on Human factors in computing systems April 2002
- Rakowski 01 Sensiva: The Application of 2D Gesture Recognition Brian Rakowski, Stanford University 2001
- Silvers 95 Livemap—a system for viewing multiple transparent and time-varying planes in three dimensional space Robert Silvers Conference companion on Human factors in computing systems May 1995

ABSTRACT

Animated transparent layers permit the user to selectively view elements that overlap in the visual terrain and to switch between these layers with a slight cognitive load, rather than the necessary explicit rearranging of windows in existing user interfaces. In addition layers, permit the intensive population of the locus of visual attention with fewer restrictions on windows management

The introduction of gestures (mouse strike gestures i.e. hand writing recognition) provides further conservation in screen real estate and subsequent ergonomic overheads of excessive use of obtrusive dialogues and menu items, with the ability to overload the functionality of an icon with simple gestures.

We explore cognitively ergonomic design heuristics, such as avoiding interruptions of attention incurred by the necessary disposal of intrusive dialogues, which would normally obscure an underlying display.

Animated components effectively broaden the visual field, with for example controls that can be interpreted with peripheral vision, facilitating unobtrusive redundancy and the adaptivity of smart interface controls. In essence the approach improves the functionality of an adaptive mechanism by easing its intrusiveness and elegantly increasing the prominence of control elements.




Fig 1




Figure 2

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.